

Serial No. 10/708,938 – Davids et al.
Art Unit: 3742 – Attorney Docket 10015
Response to November 1, 2004 Office Action
Page 2 of 5

RECEIVED
CENTRAL FAX CENTER
JAN 03 2005

Amendments to the Abstract:

| An apparatus and a method are provided in which a workpiece is loaded into the apparatus and the apparatus then moves and positions the workpiece in a multitude of directions based upon the directions and controls supplied to the apparatus through either a computer and applets, a programmable controller and/or through manual intervention. The apparatus can move the workpiece linearly to a predetermined position, rotate the workpiece in a continuous motion, index the workpiece incrementally and/or do any combination of those movements. The apparatus can also control other components such as turning coolant and/or quench valves on and off as desired or powering working tools such as an induction hardening coil. The workpiece is loaded directly on the center of the apparatus movement and positioning device for increased capacity loading and precision movement.

Deleted: There is disclosed herein a

Amendments to the Claims:

1. (Currently Amended) A method for workpiece movement and positioning

comprising the steps of:

loading the workpiece;

moving the said workpiece linearly to a predetermined location;

stopping the said linear movement of the said workpiece at the said predetermined location;

returning the said workpiece to its original location;

and unloading the said workpiece;

and the optional step of:

Deleted: for

Deleted: s

AMENDMENT AND RESPONSE TO OFFICE ACTION

BEST AVAILABLE COPY

Serial No. 10/708,938 - Davids et al.
Art Unit: 3742 - Attorney Docket 10015
Response to November 1, 2004 Office Action
Page 3 of 5

constantly rotating the said workpiece when the said workpiece is moving linearly or at
the said predetermined location:

Deleted: loading the workpiece. ¶

and the optional steps of:

not constantly rotating the said workpiece when the said workpiece is moving linearly or
at the said predetermined location, but instead holding the workpiece in a fixed position
for a predetermined period of time;

Deleted: moving the workpiece linearly
to a predetermined location; ¶
stopping the linear movement of the
workpiece at the predetermined location; ¶
returning the workpiece to its original
location; ¶
and unloading the workpiece. ¶

Deleted: for

and the optional steps of:

Deleted: loading the workpiece; ¶
moving the workpiece linearly to a
predetermined location; ¶
stopping the linear movement of the
workpiece at the predetermined location

Deleted: : ¶

not constantly rotating the said workpiece when the said workpiece is moving linearly or
at the said predetermined location and instead holding the said workpiece in a fixed
position for a predetermined period of time;

Deleted: returning the workpiece to its
original location; ¶
and unloading the workpiece;

Deleted: ¶

Deleted: for

lowering the said workpiece a predetermined distance;

Deleted: ¶

Deleted: loading the workpiece; ¶
moving the workpiece linearly to a
predetermined location;

indexing the said workpiece by rotating the said workpiece a predetermined incremental
amount;

Deleted: stopping the linear movement
of the workpiece at the predetermined
location; ¶

raising the said workpiece back into position;

holding the said workpiece in a fixed position for a predetermined amount of time; and

Deleted: :

repeating the said lowering, indexing, raising and holding steps until the said workpiece
has been indexed 360 degrees or less as required by the said workpiece.

Deleted: returning the workpiece to its
original location; ¶
and unloading the workpiece. ¶

AMENDMENT AND RESPONSE TO OFFICE ACTION

Serial No. 10/708,938 – Davids et al.
Art Unit: 3742 – Attorney Docket 10015
Response to November 1, 2004 Office Action
Page 4 of 5

2. (Not Amended) The method as set forth in claim 1 including an induction coil and quench means; the step of activating the induction coil and quench means as the workpiece travels linearly to harden the workpiece.

3. (Not Amended) The method as set forth in claim 2 including the step of moving the workpiece back through the activated induction coil at a substantially greater speed than the speed of the workpiece during hardening of the workpiece wherein the workpiece is tempered.

4. (Not Amended) The method as set forth in claim 1 including an induction coil and quench means; the step of activating the induction coil and quench means while the workpiece is being held in position.

5. (Not Amended) The method of claim 1 including any of the means for milling, drilling, welding, assembling, stamping, marking or bending; including the step of activating the means for milling, drilling, welding, assembling, stamping, marking or bending.

AMENDMENT AND RESPONSE TO OFFICE ACTION

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.